

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Tobacco use in Austrian Young People

D. Jahn-Kuch

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Disclosure Statement of Financial Interest.

I DO NOT have a financial interest/arrangement or affiliation with one or more organizations that could be perceived as a real or apparent conflict of interest in the context of the subject of this presentation.

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Source: http://ec.europa.eu/public_opinion/index_en.htm

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Anteil der täglich Rauchenden ab 16 Jahren von 1972 bis 2014 in %

Geschlecht	1972	1979	1986	1997	2006/07	2014
Männer	58,7	35,3	34,6	30,0	27,5	28,7
Frauen	9,8	13,6	17,5	18,8	19,4	22,2

Aktueller Raucherstatus 2014

Merkmale	Insgesamt	Raucher (täglich)	Ex-Raucher (früher täglich geraucht)	
	in 1.000	(= 30% current smokers)		
Insgesamt	7.235,4	24,3	5,7	24,4
				45,6

Source: STATISTIK AUSTRIA, Gesundheitsbefragung 2014

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Aktueller Raucherstatus 2014

Merkmale	Insgesamt	Raucher (täglich)	Raucher (gelegentlich)	Ex-Raucher (früher täglich geraucht)	Nichtraucher
	in 1.000	in %			
Geschlecht, Alter in vollendeten Jahren		28-39y. + 4%			
Männer	3.518,8	24,3	8,4	29,5	38,6
15 bis unter 20	2.832,9	21,7	7,7	23,6	37,1
20 bis unter 25	795,2	18,2	10,6	10,1	47,0
25 bis unter 30	801,5	13,2	8,7	20,6	33,5
30 bis unter 35	861,2	10,3	6,3	31,2	32,2
35 bis unter 40	886,1	7,0	2,5	43,2	43,0
40 bis unter 45	817,3	5,3	3,3	44,2	38,0
45 bis unter 50	268,9	0,7	0,7	39,8	54,0
50 bis unter 55	2.714,6	2,1	2,1	39,6	32,2
55 bis unter 60	2.414,8	2,0	2,0	19,2	46,5
60 bis unter 65	784,2	2,0	2,0	10,5	54,0
65 bis unter 70	895,1	2,9	2,9	23,3	46,5
70 bis unter 75	955,5	26,9	8,2	23,7	44,2
75 bis unter 80	1.103,8	14,4	2,3	22,5	49,7
80 bis unter 85	284,4	10,4	2,9	25,7	38,0
85 und mehr	407,4	2,4	1,2	17,8	38,0

Source: STATISTIK AUSTRIA, Gesundheitsbefragung 2014

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Smoking of tobacco products by sex, age and educational attainment level

Last update: 11.11.16
 Source of data: Eurostat

UNIT: Percentage ISCED11: All ISCED 2011 levels SEX: Total AGE: From 15 to 24 years TIME: 2014

	SMOKING	Non-smoker	Daily smoker	Occasional smoker
European Union (28 countries)	76,4 ^m	16,0 ^m		7,5 ^m
Austria	63,0	26,9		10,2
male	58,6	29,6		11,8
female	67,6	23,8		8,6

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Smoking of tobacco products by sex, age and educational attainment level
 Last update: 11.11.16
 Source of data: Eurostat

UNIT: Percentage **ISCED11:** Less than primary, primary and lower secondary education (levels 0-2) **SEX:** Total **AGE:** From 15 to 24 years **TIME:** 2014

SMOKING	Non-smoker	Daily smoker	Occasional smoker
GEO			
European Union (28 countries)	78.7 ^m	14.7 ^m	6.6 ^m
Austria	66.7	25.9	8.4

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Smoking of tobacco products by sex, age and educational attainment level
 Last update: 11.11.16
 Source of data: Eurostat

UNIT: Percentage **ISCED11:** Upper secondary and post-secondary non-tertiary education (levels 3 and 4) **SEX:** Total **AGE:** From 15 to 24 years **TIME:** 2014

SMOKING	Non-smoker	Daily smoker	Occasional smoker
GEO			
European Union (28 countries)	73.9 ^m	17.9 ^m	8.2 ^m
Austria	58.1	30.9	11.0

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Smoking of tobacco products by sex, age and educational attainment level
 Last update: 11.11.16
 Source of data: Eurostat

UNIT: Percentage **ISCED11:** Tertiary education (levels 5-8) **SEX:** Total **AGE:** From 15 to 24 years **TIME:** 2014

SMOKING	Non-smoker	Daily smoker	Occasional smoker
GEO			
European Union (28 countries)	77.7 ^m	13.4 ^m	8.9 ^m
Austria	70.5	17.1	12.4

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Availability of substances

	ESPAD average			AUSTRIA: 79%
	Average	Min.	Max.	
Cigarettes	61	22	80	
Alcohol	78	52	96	
Cannabis	30	5	50	
Ecstasy	12	2	24	
Amphetamine	9	2	23	
Methamphetamine	7	1	17	
Cocaine	11	2	19	
Crack	8	1	14	

* Percentage of students rating a substance as either 'fairly easy' or 'very easy' to obtain. Source: ESPAD_report_2015

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Q06 Among the following, what were the most significant elements that made you start smoking?

	Your friends smoked	Your parents smoked	You liked the taste or smell of tobacco	Cigarettes were affordable	You liked the packaging of the cigarettes (or other tobacco products)	You liked menthol cigarettes	You liked cigarettes with a specific sweet, fruity or spicy flavour	Other (SPONT.)	None (SPONT.)	Don't know	At least one element related to a specific tobacco taste
EU27	79%	21%	19%	12%	3%	3%	1%	8%	3%	2%	5%
AT	84%	35%	38%	28%	8%	4%	8%	9%	3%	1%	11%

Source: eurobar_78itudes_towards_tobacco_2012_en.pdf

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch







IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA




Tägliches Rauchen 2014

Metrik	in Prozent	Durchschnittlicher Anteil der Raucher (geplant)	Durchschnittliche Anzahl der Zigaretten oder selbst geerntet pro Tag	"Welche der folgenden Produkte rauchen Sie häufig?" (Mehrfachantworten möglich)			"Haben Sie in letzter Zeit versucht, mit dem Rauchen aufzuhören?"	
				Zigaretten (Schärfste oder selbst geerntet)	Pfeifen-Tabak	Andere Produkte	Ja	Nein
Insgesamt	1.733,9	16,1	15,6	91,5	0,7	0,6	32,9	68,9
Alter in vollständigen Jahren								
18 bis unter 20	1.562,8	17,5	15,5	91,7	0,6	0,1	0,6	30,9
20 bis unter 25	497,2	16,4	13,3	95,8	0,9	-	0,2	35,7
25 bis unter 30	523,8	17,8	15,9	91,8	0,4	0,1	0,7	28,5
30 bis unter 35	557,6	18,2	17,2	91,0	1,2	0,2	0,7	33,2
35 und mehr	203,1	20,1	18,9	97,1	1,1	1,1	0,7	40,8
60 bis unter 70	178,4	19,8	16,2	96,8	1,0	1,1	0,8	38,8
70 und mehr	24,7	20,9	13,9	99,3	-	0,7	-	48,2

Source: STATISTIK AUSTRIA, Gesundheitsbefragung 2014

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch





Smoking habits	15y old girls		15y old boys		17y old girls		17y old boys	
	2010	2014	2010	2014	2010	2014	2010	2014
never	60,5%	75,9%	66,8%	77,6%	50,6%	69,4%	49,3%	68,8%
< 1 week	10,2%	8,6%	8,0%	8,2%	10,3%	9,0%	9,7%	8,2%
not daily	8,2%	5,9%	7,6%	4,6%	8,8%	7,2%	5,6%	4,4%
daily	21,1%	9,6%	17,6%	9,6%	30,4%	14,3%	35,4%	18,8%

Source: Bundesministerium für Gesundheit, 2010 und 2014

How does your country?

- Price increases through higher taxes on cigarettes and other tobacco products;
- Bans/restrictions on smoking in public and work places;
- Better consumer information, including public information campaigns, media coverage, and publicising research findings;
- Comprehensive bans on the advertising and promotion of all tobacco products, logos and brand names;
- Large, direct health warning labels on cigarette boxes and other tobacco products;
- Treatment to help dependent smokers stop, including increased access to medications.

Four leaders, the rest need to do better!

Source: europeancommission.eu

Appendix 8: Ranking Tobacco Control Scale 2013 - 2010 - 2007 - 2006 - 2004

Country	TCS Ranking 2013 (24 countries)	TCS Ranking 2010 (21)	TCS Ranking 2007 (20)	TCS Ranking 2006 (20)	TCS Ranking 2004 (20)
United Kingdom	1	1	1	2	2
Ireland	2	2	2	1	4
Iceland	3	4	2	4	1
Norway	4	3	4	3	3
Turkey	5	4	5	5	5
France	6	6	6	6	6
Spain	7	12	12	26	24
Malta	7	7	3	5	5
Lithuania	29	22	21	25	21
Greece	29	30	28	30	18
Czech Rep.	31	27	25	20	27
Cyprus	32	24	19	11	14
Croatia	33	26	27	22	25
Austria	34	30	30	26	28

Source: europeancommission.eu

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

World Health Organization
WHO Report on the Global Tobacco Epidemic, 2015

Country profile
Austria

WHO Framework Convention on Tobacco Control (WHO FCTC) status
 Date of signature: 28 August 2003
 Date of ratification (or legal equivalent): 15 September 2005

Socioeconomic context
 Population: 8 526 429
 Income group: High-income

Source: WHO Report on the Global Tobacco Epidemic, 2015

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Smoke-free environments

	2014	Compliance 2015
Public places with smoke-free legislation:		
Health-care facilities	No	—
Educational facilities except universities	Yes	B
Universities	No	—
Government facilities	No	—
Indoor offices and workplaces	No	—
Restaurants	No	—
Cafés, pubs and bars	No	—
Public transport	No ^a	—
All other public places	NA	—
Compliance score b		0
National law requires fines for smoking	Yes	
Fines levied on the establishment	Yes	
Fines levied on the smoker	Yes	
Funds allocated for enforcement	No	
Complaint system that requires an investigation after a complaint	Yes	

Source: WHO Report on the Global Tobacco Epidemic, 2015

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

Anti-tobacco mass media campaigns between 1 July 2012 and 30 June 2014

Name of mass media campaign	No campaign implemented with duration of at least three weeks
Was this campaign national?	—
The campaign was sponsored or run by:	—
Was the campaign aimed on television and/or radio?	—
Before the campaign, was any research about the target audience conducted or used to develop the campaign message/materials?	—
Were the campaign materials tested with the target audience before the campaign was run?	—
Did you obtain air time (radio, television) and/or placement (billboards, print advertising, etc) by purchasing or securing them using either your organisation/institution's internal resources or an external media planner or agency?	—
Did you, or your media planner/agency, use a monitor to confirm that the campaign materials were used as planned/scheduled on television, radio, print, billboards, internet, etc?	—
Did you work with journalists to gain publicity or coverage in the news for the campaign?	—
Was an evaluation done to assess the impact of the campaign?	—
Was this campaign part of a comprehensive government tobacco control program?	—

Source: WHO Report on the Global Tobacco Epidemic, 2015

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch

IASLC 17th WORLD CONFERENCE ON LUNG CANCER
 International Association for the Study of Lung Cancer
 WWW.IASLC.ORG DECEMBER 4-7, 2016 VIENNA, AUSTRIA

dent smoke.at

Rauchverbot beschlossen

Wolfgang Gruber wird in Österreich ein Mensch an den Folgen des Rauchens, nicht rauchen. Keine jemand an den Folgen des Passivrauchens.

Kurt Kuch 1972 – 2015

IA08.02: Tobacco use in Austrian Young People – D. Jahn-Kuch